

**Suicide Rate by County and Cause of Suicide
2008 - 2017**

NAME	FIREARM	Pct.	OTHER	Pct.	POISON	Pct.	Total
Adams	40	72.7%	12	21.8%	3	5.5%	55
Allen	58	47.5%	49	40.2%	15	12.3%	122
Ashland	29	50.9%	13	22.8%	15	26.3%	57
Ashtabula	99	54.1%	62	33.9%	22	12.0%	183
Athens	47	64.4%	15	20.5%	11	15.1%	73
Auglaize	31	56.4%	18	32.7%	6	10.9%	55
Belmont	66	60.0%	33	30.0%	11	10.0%	110
Brown	43	54.4%	29	36.7%	7	8.9%	79
Butler	233	48.1%	165	34.1%	86	17.8%	484
Carroll	23	59.0%	12	30.8%	4	10.3%	39
Champaign	37	56.1%	22	33.3%	7	10.6%	66
Clark	81	39.7%	94	46.1%	29	14.2%	204
Clermont	150	48.4%	113	36.5%	47	15.2%	310
Clinton	27	54.0%	11	22.0%	12	24.0%	50
Columbiana	95	52.5%	57	31.5%	29	16.0%	181
Coshocton	31	64.6%	12	25.0%	5	10.4%	48
Crawford	30	54.5%	16	29.1%	9	16.4%	55
Cuyahoga	663	45.4%	560	38.4%	237	16.2%	1460
Darke	38	47.5%	22	27.5%	20	25.0%	80
Defiance	23	51.1%	17	37.8%	5	11.1%	45
Delaware	75	43.6%	63	36.6%	34	19.8%	172
Erie	66	61.7%	29	27.1%	12	11.2%	107
Fairfield	98	57.6%	49	28.8%	23	13.5%	170
Fayette	20	62.5%	8	25.0%	4	12.5%	32
Franklin	720	51.1%	467	33.2%	221	15.7%	1408
Fulton	19	33.9%	28	50.0%	9	16.1%	56
Gallia	35	63.6%	11	20.0%	9	16.4%	55
Geauga	57	47.9%	45	37.8%	17	14.3%	119
Greene	102	50.0%	70	34.3%	32	15.7%	204
Guernsey	39	55.7%	22	31.4%	9	12.9%	70
Hamilton	463	46.5%	346	34.7%	187	18.8%	996
Hancock	40	49.4%	28	34.6%	13	16.0%	81
Hardin	20	60.6%	11	33.3%	2	6.1%	33
Harrison	15	71.4%	5	23.8%	1	4.8%	21
Henry	17	48.6%	12	34.3%	6	17.1%	35
Highland	36	50.0%	23	31.9%	13	18.1%	72
Hocking	36	62.1%	16	27.6%	6	10.3%	58
Holmes	19	65.5%	7	24.1%	3	10.3%	29
Huron	45	52.3%	30	34.9%	11	12.8%	86

Jackson	50	75.8%	10	15.2%	6	9.1%	66
Jefferson	78	74.3%	22	21.0%	5	4.8%	105
Knox	35	51.5%	22	32.4%	11	16.2%	68
Lake	164	48.1%	114	33.4%	63	18.5%	341
Lawrence	57	72.2%	20	25.3%	2	2.5%	79
Licking	146	55.7%	74	28.2%	42	16.0%	262
Logan	37	52.9%	19	27.1%	14	20.0%	70
Lorain	194	46.4%	150	35.9%	74	17.7%	418
Lucas	265	47.0%	201	35.6%	98	17.4%	564
Madison	31	58.5%	15	28.3%	7	13.2%	53
Mahoning	168	54.2%	98	31.6%	44	14.2%	310
Marion	44	53.0%	33	39.8%	6	7.2%	83
Medina	97	47.1%	80	38.8%	29	14.1%	206
Meigs	34	66.7%	15	29.4%	2	3.9%	51
Mercer	35	71.4%	13	26.5%	1	2.0%	49
Miami	71	55.0%	40	31.0%	18	14.0%	129
Monroe	18	81.8%	1	4.5%	3	13.6%	22
Montgomery	390	47.8%	244	29.9%	182	22.3%	816
Morgan	20	90.9%	1	4.5%	1	4.5%	22
Morrow	22	57.9%	12	31.6%	4	10.5%	38
Muskingum	83	57.2%	37	25.5%	25	17.2%	145
Noble	11	52.4%	7	33.3%	3	14.3%	21
Ottawa	30	56.6%	14	26.4%	9	17.0%	53
Paulding	13	52.0%	10	40.0%	2	8.0%	25
Perry	32	60.4%	17	32.1%	4	7.5%	53
Pickaway	51	63.0%	23	28.4%	7	8.6%	81
Pike	21	50.0%	14	33.3%	7	16.7%	42
Portage	101	53.4%	62	32.8%	26	13.8%	189
Preble	38	62.3%	16	26.2%	7	11.5%	61
Putnam	21	55.3%	11	28.9%	6	15.8%	38
Richland	94	55.6%	54	32.0%	21	12.4%	169
Ross	72	59.0%	38	31.1%	12	9.8%	122
Sandusky	55	63.2%	26	29.9%	6	6.9%	87
Scioto	50	55.6%	37	41.1%	3	3.3%	90
Seneca	36	51.4%	28	40.0%	6	8.6%	70
Shelby	27	50.9%	21	39.6%	5	9.4%	53
Stark	305	51.6%	173	29.3%	113	19.1%	591
Summit	353	44.9%	306	38.9%	127	16.2%	786
Trumbull	200	55.6%	107	29.7%	53	14.7%	360
Tuscarawas	73	61.3%	35	29.4%	11	9.2%	119
Union	34	60.7%	11	19.6%	11	19.6%	56
Van Wert	19	55.9%	13	38.2%	2	5.9%	34
Vinton	10	71.4%	1	7.1%	3	21.4%	14

Warren	101	43.0%	84	35.7%	50	21.3%	235
Washington	54	61.4%	25	28.4%	9	10.2%	88
Wayne	64	51.2%	45	36.0%	16	12.8%	125
Williams	20	39.2%	19	37.3%	12	23.5%	51
Wood	71	50.7%	51	36.4%	18	12.9%	140
Wyandot	16	57.1%	9	32.1%	3	10.7%	28
Total	7777		5080		2381		15238

**Ohio Suicide Deaths by Age Cohort and Cause- Percent Total
2008 - 2017**

AGECOHORT	FIREARM	Pct.	OTHER	Pct.	POISON	Pct.	Total
14 & UNDER	40	24.8%	113	70.2%	8	5.0%	161
15 - 19	295	40.7%	395	54.5%	35	4.8%	725
20 - 29	1158	48.2%	1015	42.2%	231	9.6%	2404
30 - 39	1029	42.7%	1035	43.0%	344	14.3%	2408
40 - 49	1281	43.2%	1054	35.5%	631	21.3%	2966
50 - 59	1551	50.3%	854	27.7%	676	21.9%	3081
60 +	2405	69.5%	602	17.4%	452	13.1%	3459
Unknown	20	51.3%	15	38.5%	4	10.3%	39
Total	7779		5083		2381		15243

**Ohio Suicide Deaths by Sex and Cause - Percent Total
2008 - 2017**

Sex	FIREARM	Pct.	OTHER	Pct.	POISON	Pct.	Total
Female	957	30.3%	1117	35.3%	1088	34.4%	3162
Male	6802	56.5%	3951	32.8%	1289	10.7%	12042
Unknown	20	51.3%	15	38.5%	4	10.3%	39
Total	7779		5083		2381		15243

**Ohio Suicide Deaths by Race and Cause - Percent Total
2008 - 2017**


race	FIREARM	Pct.	OTHER	Pct.	POISON	Pct.	Total
White	7123	51.2%	4548	32.7%	2250	16.2%	13921
Black	551	53.1%	382	36.8%	104	10.0%	1037
Other	105	36.8%	153	53.7%	27	9.5%	285
	7779		5083		2381		15243

Notes:

Table totals vary due to missing or unknown data.

General Description of Mechanism of Death – The Mechanism of External Injury (general) variable provides a grouping of injury deaths into the external mechanisms of injury (e.g., “firearm”). The categories in this variable cut across intent of injury types and enables users to study mechanisms of injury independent of intent of injury. The variable values are: cut or pierce, drowning, fall, fire or hot object or substance, firearm, machinery, motor vehicle traffic, natural, natural or environmental (injury), other land transport, other specified, other transport, overexertion, pedal cyclist-other (non MV), pedestrian-other (non MV), poisoning, struck by or against, suffocation, unspecified.

Percentage of Overdose Related Suicide Deaths 2008 - 2017



Pct. Other


- 2.0 - 11.2
- 11.2 - 18.1
- 18.1 - 26.3



Ohio Alliance
for Innovation in
Population Health

Source: Ohio Department of Health, Bureau of Vital Statistics, Ohio Death Certificate File. These data were provided by the Ohio Department of Health. The Department specifically disclaims responsibility for any analyses, interpretations or conclusions.

Percentage of Deaths Related to Mechanisms Other than Firearms and Overdose 2008 - 2017



Ohio Alliance
for Innovation in
Population Health

Source: Ohio Department of Health, Bureau of Vital Statistics, Ohio Death Certificate File. These data were provided by the Ohio Department of Health. The Department specifically disclaims responsibility for any analyses, interpretations or conclusions.